

**Biological Forum – An International Journal** 

13(3a): 774-780(2021)

ISSN No. (Print): 0975-1130 ISSN No. (Online): 2249-3239

# Screening of M<sub>4</sub> Sorghum (Sorghum bicolor (L.) Moench) Mutant Lines Against Shoot Fly (*Atherigona soccata* Rondani)

V.C. Raghavendra<sup>1</sup>, G. Girish<sup>2\*</sup>, M.B. Ashok<sup>3</sup>, B.V. Temburne<sup>4</sup>, L.N. Yogeesh<sup>5</sup>,

M.R. Govindappa<sup>6</sup> and Anand Kumar V.<sup>7</sup>

<sup>1</sup>M.Sc. Scholar, Department of Genetics and Plant Breeding Agriculture College, UAS, Raichur, (Karnataka), India. <sup>2</sup>Assistant Professor, AICRP on Sorghum ARS, Hagari, Ballari, (Karnataka), India.

<sup>3</sup>Scientific Officer, NABTP, BARC, Trombay, Mumbai, India.

<sup>4</sup>Professor & Head, Department of Genetics and Plant Breeding,

College of Agriculture, Raichur, (Karnataka), India.

<sup>5</sup>Assistant Professor, Department of Genetics and Plant Breeding, ARS, Hagari, Ballari, (Karnataka), India.

<sup>6</sup>Scientist (Plant Pathology) ICAR-KVK, Hagari, Ballari, (Karnataka), India.

<sup>7</sup>Scientist (ENT), ICAR-KVK, Hagari, Ballari, (Karnataka), India.

(Corresponding author: G. Girish\*) (Received 21 July 2021, Accepted 30 September, 2021) (Published by Research Trend, Website: www.researchtrend.net)

ABSTRACT: The present investigation was carried to screen 200 mutant lines against shoot fly incidence in augmented block design at Agricultural Research Station, Hagari. In sorghum production shoot fly incidence is the major biotic constraints, which attacks crop at the seedling stage and causes losses of yield and fodder. The screening results revealed that 29 mutant lines shown highly resistance reaction compared to resistant check IS-2312 (15.78), among them seven mutant lines showed zero percentage of dead heart per cent. These mutant lines exhibited comparatively lower number of eggs per plant and minimum dead heart formation. 10 mutant lines shown highly resistance response to seedling vigour and glossiness score traits. In order to attain uniform shoot fly pressure under field conditions the interlard-fish meal technique was followed for present experiment. These resistant lines can be used for further confirmation and also for future resistant breeding programmes.

Keywords: Dead heart, Oviposition, Shoot fly, Sorghum.

## INTRODUCTION

Sorghum [Sorghum bicolor (L.) Moench], is popularly known as "Jowar" a cultivated diploid (2n = 20) tropical cereal C<sub>4</sub> grass plant, is the fifth most important cereal crop grown in the world. It is a monocotyledon plant of tropical origin, belonging to Poaceae family (Nagara, 2017). India is a major sorghum growing country in the world, ranks first in acreage and second in production next to United States of America. It is grown in India in an area about 4.09 m ha with production of 3.48 m tonnes and productivity of 845 kg/ha. In Karnataka, it is grown in 0.94 m ha with production of 0.89 million tonnes and productivity of 945 kg/ha (INDIASTAT, 2019). Major sorghum growing districts of Karnataka are Kalaburgi, Raichur, Koppal, Belagavi, Ballari and Vijayapur.

Mutation is recognized as one of the driving forces of evolution. Induced mutation breeding is relatively quicker method to create variability for quantitatively inherited traits in different plants (Camargo *et al.*, 2000). It is induced through both physical and chemical mutagens, in which gamma radiation is an important tool for inducing the genetic variability, which intern throw potential mutants for enhancing yield and yield contributing traits (Thapa, 2004). One per cent sodium azide is utilized as induced mutation in sorghum for enhancing germination rate, root length, shoot length, bold seeds and yield attributing traits. Insect pests cause much reduction in sorghum yield levels, among which shoot fly is a major one. Shoot fly (*Atherigona soccata* Rond.) is an important pest of sorghum in Asia, Africa and Mediterranean Europe. Maximum yield losses of 80-90 per cent in grain and 68 per cent in fodder have been reported (Kahate *et al.*, 2014). Its incidence was higher in late-sown crops in the rainy and post rainy (*rabi*) seasons because of buildup of shoot fly populations on the early-sown crops (Balikai and Bhagwat, 2009).

Shoot fly damages crop at initial stage of crop growth ranges from 7-30 days after germination and causes specific symptom called "dead heart". Adoption of chemical control methods for shoot fly control is not feasible because it is cultivated by poor and marginal farmers as well as pest damages of crop ranges from 7-30 days after germination, hence very little or no time to take control measures. More over this method is polluting soil, water, food and fodder. Therefore, utilization of host plant resistance in mutants is the most realistic alternative method for reducing losses caused by the insect pests.

# MATERIAL AND METHODS

Two varietal seeds *viz.*, IS925 and Phule Vasudha of sorghum lines were sent to Bhabha Atomic Research Centre (BARC) Trombay, Mumbai. The 160 seeds of both the lines were irradiated with 300 Gy gamma rays and 40 irradiated seeds were also treated with 0.1 %

Raghavendra et al.,

Sodium azide [160 Gamma irradiated and (40 Gamma irradiated + chemical treated)] at equilibrium moisture content of eight per cent.

The each subsequent seasons M<sub>1</sub>, M<sub>2</sub> and M<sub>3</sub> progenies were raised at ARS Hagari. 100 mutants from IS925 variety (80 irradiated and 20 irradiated + chemical treated) and 100 mutants from Phule Vasudha variety (80 irradiated and 20 irradiated + chemical treated) were selected from the M<sub>3</sub> generation and used as seed material along with checks viz., IS-2312, DJ-6514, M-35-1, SPV-86, DSV-4, E-36-1 and GS-23 for present investigation (M<sub>4</sub> generation).

To attain uniform shoot fly pressure under field conditions the interlard-fish meal technique (Nwanze, 1997) was followed for screening resistance (Plate 1). Two rows of a susceptible cultivar (DJ-6514) were sown 20 days before sowing the test material. This was done to allow for multiplication of shoot fly for one generation. Seven days after seedlings emergence, moistened fish meal was spread uniformly in four blocks covering all the test material to attract the emerging shoot flies from infester rows. The plant protection measures were avoided until the shoot fly infestation period was complete.

### The following parameters were recorded to assess shoot fly incidence:

1. Glossiness. Intensity of glossiness was recorded at 7 days after emergence (DAE) on 1 to 5 scale where 5 =high intensity of glossiness and 1 = non-glossy. Leaf glossiness was scored in the morning hours when there was maximum reflection of light (Kamatar et al., 2010).

2. Oviposition. Total number of plants with eggs in each entry was recorded at 7 DAE (Plate 2). The observations on units were expressed in terms of percentage (Kamatar et al. 2010).

Oviposition (%) = 
$$\frac{\text{Number of plants with eggs}}{\text{Total number of plants}}$$

3. Seedling vigour. Seedling vigour (height, leaf growth and robustness) was scored at 16 DAE on a 1-5 scale where 5 = high vigour (plants showing maximum height, leaf expansion and robustness) and 1 = 10wvigour (plants showing minimum growth, less leaf expansion and poor adaptation) (Kamatar et al., 2010). 4. Dead heart percentage. Dead heart counts were recorded at 21 days after emergence (Plate 3). Dead heart was expressed in terms of percentage (Nimbalkar

and Bapat, 1987). Dead heart (%) =  $\frac{\text{No. of shoots with dead heart}}{\text{Total no. of shoots}} \times 100$ 

The shoot fly incidence (dead hearts percentage) was recorded on 21days after emergence of plants. The following rating scale was used to classify the genotypes into different categories, (Nimbalkar and Bapat, 1987).

Rating	Reaction
0 - 10 % dead heart	Highly resistant
10 - 20 % dead heart	Resistant
20 - 30 % dead heart	Moderately resistant
30 - 50 % dead heart	Susceptible
Above 50 % dead heart	Highly susceptible

### **RESULTS AND DISCUSSION**

Seven mutant lines viz., PV-RD-29, PV-RD-30, PV-RD-13, PV-RD-41, PV-RD-33, PV-9 and PV-RD-47 showed 0 percentage of dead heart, whereas IS-2312 resistant check showed 15.78 percentage of dead heart. These 3 mutants IS 925-6 (71.42%), IS925-9 (68.18%) and IS925-22 (65%) showed highest amount of dead hearts, whereas susceptible check DJ-6514 showed 71.42% percentage of dead heart.

Among 200 mutant lines were screened for shoot fly, in that 29 lines shown highly resistant (0-10%) reaction, 57 lines shown resistant (11-20%) reaction, 51 lines shown moderately resistance (21-30%) reaction, 56 lines shown susceptible (30-50%) reaction, 14 lines shown highly susceptible ( 50%) reaction, these lines are presented in Table 1 and these results were comparable with the Kiran, (2014); Navinkumar et al., (2020).

Table 1: Classification of 200 sorghum mutant lines along with checks based on per cent dead heart formed due to shoot fly incidence.

	G	enotypes		
Reaction	IS925	Phule Vasudha           PV-3, PV-RD-7, PV-RD-22, PV-RD-30, PV-RD-54, PV-RD-25,           PV-RD-29, PV-RD-13, PV-RD-62, PV-1, PV-RD-41, PV-RD-20,           PV-RD-33, PV-9, PV-RD-51, PV-23, PV-RD-47, PV-RD-6, PV-RD-53, PV-13, PV-37.		
Highly resistance (0-10%)	IS925-58, IS925-RD-98, IS925-RV-4, IS925-85, IS925-117, IS925-83, IS925-132, IS925-20.			
Resistance (11-20 %)	IS925-23, IS925-7, IS925-14, IS925-RD-50, IS925-105, IS925-RD-61, IS925-RD-71, IS925-54, IS925-124, IS925-34, IS925-90, IS925-134, IS925-3, IS925-RV-7, IS925-4, IS925- 120, IS925-138, IS925-RD-74, IS-2312.	PV-RD-68, PV-6E, PV-12, PV-33, PV-RD-31, PV-RD-49, PV-RD 15, PV-RD-40, PV-RD-44, PV-52, PV-6, PV-57, PV-60, PV-10, PV-RD-35, PV-2, PV-41, PV-RD-21, PV-RD-77, PV-RD-50, PV- RD-14, PV-RD-45, PV-RD-18, PV-RD-43, PV-RD-10, PV-38, PV RD-46, PV-14, PV-26, PV-1, PV-17-1, PV-13, PV-7, PV-22, PV- 16, PV-19, PV-24, PV-11.		
Moderately resistance (21 – 30%)	IS925-11, IS925-1, IS925-24, IS925-16, IS925-2, IS925-2-1, IS925-113, IS925-RD-48, IS925-RV-3, IS925-RD-30, IS925- 80, IS925-RD-15, IS925-RD-53, IS925-70, IS925-39, IS925- RD-47, IS925-RD-65, IS925-RD-46, IS925-130, IS925-RD- 21, IS925-46, IS925-RD-19, IS925-110, IS925-127, IS925-28, IS925-RD-76, IS925-38, IS925-109, IS925-RD-34, IS925- RD-8, GS-23, M-35-1, SPV-86.	PV-17, PV-RD-57, PV-RD-3, PV-RD-19, PV-18, PV-RD-36, PV- 47, PV-48, PV-20, PV-53, PV-RD-4, PV-RD-20, PV-RD-5, PV-50 PV-11, PV-5, PV-17, PV-18.		
Susceptible (30 – 50 %)	IS925-19, IS925-10, IS925-21, IS925-5, IS925-17, IS925-21- 1, IS925-7-1, IS925-131, IS925-RV-6, IS925-RV-8, IS925- 108, IS925-64, IS925-128, IS925-72, IS925-7, IS925-RV-13, IS925-101, IS925-RD-41, IS925-116, IS925-16, IS925-115, IS925-44, IS925-102, IS925-RD-25, IS925-96, IS925-118, IS925-23, IS925-144, IS925-123, IS925-133, IS925-41, IS925-82, E-36-1, DSV-4.	PV-RD-28, PV-RD-1, PV-58, PV-61, PV-16, PV-RD-32, PV-RD- 34, PV-RD-87, PV-RD-11, PV-RD-48, PV-RD-52, PV-22, PV-RD 38, PV-45, PV-RD-9, PV-44, PV-49, PV-6, PV-7-1, PV-23, PV-8 PV-9.		
Highly susceptible (>50%)	IS925-8, IS925-22, IS925-6, IS925-9, IS925-RD-44, IS925- 87, IS925-RD-101, IS925-RD-16, IS925-RV-16, IS925-RD- 37, IS925-37, IS925-RV-2, DJ-6514	PV-35.		

Low amount of eggs were present in PV-RD-30 (0%), PV-RD-29 (0%), PV-RD-13 (0%) and PV-9 (0%) compared to the resistant check IS-2312 (31.57%). Highest number of eggs were present in IS925-21 (87.5%), IS925-118 (85%), IS925-RV-16 (83.33%) and IS925-6 (82.35%) compared to the susceptible check DJ-6514 (85.71%). These results were coincides with the findings of Chandra *et al.*, (2018).

The seedling vigour observation is taken after 16 DAE and was scored on a 1-5 scale. Out of 200 mutants screened only 10 mutants shown high vigorous score (5), 80 mutants shown score (4), 77 mutants shown score (3), 33 mutants shown score (2) and 7 mutants shown score (1). This is shown in Table 2.

The lowest seedling vigour score in mutants was 1 and those mutants showing 1 as a score were categorized as

shoot fly susceptible mutants. These findings were registered earlier by Prasad *et al.*, (2015). Who observed that higher seedling vigour in sorghum was responsible for showing resistance to shoot fly. Similarly, Sharma and Nwanze (1997) also observed that seedling vigour as an important morphological trait for showing resistance to shoot fly.

The intensity of glossiness was scored at 7 DAE on 1 to 5 scale. Out of 200 mutants screened, 10 mutants shown high glossiness score (5), 84 mutants shown score (4), 69 mutants show score (3), 37 mutants shown score (2) and 7 mutants shown score (1). This is shown in Table 3. Mean performances of 200  $M_4$  sorghum mutant lines for shoot fly incidence is represented in Table 4.

Table 2: Classification of sorghum mutant lines along with checks based on seedling vigour score.

	Genotypes					
Reaction	IS925	Phule Vasudha				
Highly resistance (5)	IS925-RD-98, IS-2312.	PV-RD-7, PV-RD-30, PV-RD-29, PV-RD-13, PV-RD- 41, PV-RD-33, PV-RD-51, PV-RD-47.				
<b>Resistance</b> (4)	IS925-16-1, IS925-14, IS925-2-1, IS925-58, IS925-RD-48, IS925-RV-3, IS925-105, IS925-RD-71, IS925-RV-4, IS925-83, IS925-117, IS925-83, IS925-124, IS925-34, IS925-90, IS925-134, IS925-132, IS925-20, IS925-3, IS925-RV-7, IS925-28, IS925-RD-76, IS925-4, IS925-120, IS925-138, IS925- RD-74. GS-23, M-35-1,SPV-86.	PV-14, PV-26, PV-1-1, PV-13-1, PV-7, PV-22, PV-16-1, PV-19, PV-24, PV-11-1, PV-3, PV-17-1-1, PV-21, PV- RD-68, PV-6-E, PV-RD-22, PV-33, PV-RD-31, PV-RD- 49, PV-RD-54, PV-RD-62, PV-RD-15, PV-RD-40, PV- RD-44, PV-1, PV-RD-20, PV-57, PV-9, PV-60, PV-10, PV-RD-35, PV-2, PV-48, PV-20, PV-41, PV-RD-21, PV-RD-54, PV-20, PV-80, PV-RD-50, PV-RD-14, PV-RD-27, PV-23, PV-RD-6, PV-RD-50, PV-RD-14, PV-RD-43, PV-37, PV-11, PV-38, PV-RD-46.				
Moderately resistance (3)	IS925-19, IS925-11, IS925-23-1, IS925-10, IS925-1, IS925-24, IS925-17, IS925-7.1-1, IS925-2, IS925-21-1, IS925-7-1, IS925-131, IS925-RD-50, IS925-RD-13, IS925-RD-61, IS925-RV-8, IS925-RD-30, IS925-44, IS925-80, IS925-RD-15, IS925-RD-53, IS925-70, IS925-RD-8, IS925-39, IS925-RD-47, IS925-RD-65, IS925-RD-46, IS925-RV-13, IS925-130, IS925-RD-21, IS925- 46, IS925-RD-19, IS925-RD-16, IS925-116, IS925-100, IS925-16, IS925-127, IS925-96, IS925-118, IS925-23, IS925-114, IS925-38, IS925-109, IS925-RD- 34, IS925-29, E-36-1, DSV-4.	PV-6-1, PV-7-1, PV-23-1, PV-17-1, PV-9-1, PV-5, PV- RD-28, PV-17, PV-12, PV-RD-57, PV-RD-25, PV-RD- 3, PV-RD-19, PV-18, PV-52, PV-6, PV-RD-36, PV-61, PV-53, PV-RD-34, PV-RD-87, PV-RD-45, PV-RD-20, PV-RD-5, PV-RD-48, PV-RD-10, PV-RD52, PV-22, PV-44, PV-49.				
Susceptible (2)	IS925-8, IS925-21, IS925-5, IS925-RD-44, IS925-RV-6, IS925-108, IS925- 64, IS925-128, IS925-87, IS925-72, IS925-7, IS925-101, IS925-RD-41, IS925-RV-16, IS925-115, IS925-44, IS925-102, IS925-RD-25, IS925-123, IS925-133, IS925-41, IS925-RV-2.	PV-8, PV-RD-1, PV-58, PV-47, PV-35, PV-16, PV-RD- 32, PV-RD-11, PV-RD-38, PV- PV-45, PV-RD-9.				
Highly susceptible (1)	IS925-22, IS925-6, IS925-9, IS925-RD-101, IS925-RD-37, IS925-37, DJ- 6514.	-				

Table 3: Classification of sorghum mutant lines along with checks based on glosssiness score.

	Genotypes					
Reaction	IS925	Phule Vasudha				
Highly resistance (5)	-	PV-RD-30, PV-RD-25, PV-RD-29, PV-RD-13, PV-RD-41, PV- RD-33, PV-9, PV-RD-51, PV-23, PV-RD-47.				
Resistance (4)	IS925-23-1, IS925-1, IS925-24, IS925-6-1, IS925-14. IS925-2, IS925- 2-1, IS925-58, IS925-RD-50, IS925-105, IS925-RD-61, IS925-RD- 98, IS925-RV-4, IS925-85, IS925-117, IS925-83, IS925-RD-53, IS925-70, IS925-124, IS925-RD-65, IS925-90, IS925-134, IS925- 132, IS925-46, IS925-20, IS925-RD-76, IS925-90, IS925-120, IS925- 138, IS925-109, IS925-RD-74, IS-2312, GS-23, M-35-1.	PV-14, PV-26, PV-1-1, PV-17-1, PV-13-1, PV-7, PV-22, PV- 16-1, PV-19, PV-24, PV-11-1, PV-3, PV-17-1-1, PV-RD-68, PV-RD-7, PV-6-E, PV-RD-22, PV-12, PV-33, PV-RD-31, PV- RD-49, PV-RD-54, PV-RD-62, PV-RD-15, PV-RD-40, PV-RD- 44, PV-1, PV-RD-20, PV-6, PV-RD-36, PV-57, PV-10, PV-RD- 35, PV-2, PV-48, PV-20, PV-41, PV-RD-21, PV-RD-27, PV- RD-6, PV-RD-50, PV-RD-4, PV-RD-45, PV-RD-20, PV-RD- 53, PV-50, PV-RD-48, PV-13, PV-RD-10, PV-37.				
Moderately resistance (3)	IS925-19, IS925-11, IS925-10, IS925-17, IS925-7-1-1, IS925-21-1, IS925-7-1, IS925-113, IS925-RD-48, IS925-RV-3, IS925-RD-71, IS925-RV-8, IS925-RD-30, IS925-74, IS925-RD-15, IS925-128, IS925-RD-8, IS92534, IS925-72, IS925-RD-47, IS925- RD-46, IS925-RV-13, IS925-130, IS925-RD-21, IS925-101, IS925- RD-41, IS925-RD-19, IS925-3, IS925-110, IS925-16, IS925-115, IS925-127, IS925-RD-7, IS925-80, IS925-144, IS925-38, IS925-RD-34, IS925-RD-8, IS925-RD-8, IS925-144, IS925-38,	PV-6-1, PV-7-1, PV-23-1, PV-9-1, PV-5, PV-21, PV-17, PV- RD-57, PV-3, PV-RD-19, PV-18, PV-52, PV-47, PV-60, PV-61, PV-53, PV-RD-32, PV-RD-34, PV-RD-87, PV-RD-14, PV-RD- 5, PV-RD-11, PV-RD-48, PV-RD-43, PV-22, PV-11, PV-38, PV-RD-46.				
Susceptible (2)	IS925-8, IS925-21, IS925-5, IS925-131, IS925-RV-6, IS925-108, IS925-64, IS925-87, IS925-39, IS925-7, IS925-RD-16, IS925-116, IS925-RV-16, IS925-44, IS925-102, IS925-RD-25, IS925-37, IS925- 118, IS925-23, IS925-123, IS925-133, IS925-41, IS925-RV-2, E-36- 1, DSV-4.	PV-8, PV-RD-28, PV-RD-1, PV-58, PV-35, PV-16, PV-RD-52, PV-RD-38, PV-45, PV-RD-9, PV-44, PV-49.				
Highly susceptible (1)	IS925-22, IS925-6, IS925-9, IS925-RD-44, IS925-RD-10, IS925-RD- 37, DJ-6514.	-				

The glossiness in leaves influences the non-preference of egg laying in the host and it minimizes the dead heart percentage. Glossy surface present on adaxial and abaxial surface in leaves causes the fall down of eggs to soil earlier than hatching and decreases the dead heart percentage. These findings match with the results of Kamatar *et al.*, (2010); Sonalkar and Pagire, (2017).

The mutants which were having high score rating of seedling vigour and glossiness were showing high resistance to the shoot fly, it is due to responses of olfactory or gustatory to the insect. Those mutants are having low score rating were more vulnerable to the shoot fly attack, because low vigour plants produces higher dose of chemicals and attracted by the shoot fly. The maggots which hatch on the vigourus seedlings, takes more time to reach meristematic tissues, it was because of seedling vigour and glossiness traits. These two characters serves as obstacle for maggots to reach the centre of the stem and to form dead heart symptom in plants.

Sr.No.	Mutants	DH%	OP %	SV	Glossiness
	P+C (IS925)				
1.	IS925-19	31.57	54.54	3	3
2.	IS925-11	23.52	47.05	3	3
3.	IS925-8	52.38	71.42	2	2
4.	IS925-23-1	18.18	45.45	3	4
5.	IS925-10	33.33	72.22	3	3
6.	IS925-1	28.57	57.14	3	4
7.	IS925-22	65	75	1	1
8.	IS925-24	27.27	54.54	3	4
9.	IS925-21	50	87.5	2	2
10.	IS925-5	50	61.11	2	2
11.	IS925-17 IS925-16-1	33.33	55.56	3	3
12.		25	50	4	4
13.	IS925-6	71.42	82.35	1	1
14.	IS925-7-1-1	16.66	33.33	3 4	3 4
15.	IS925-14	20	20		
16.	IS925-9	68.18	68.18	1	1
17.	IS925-2	28.57	50	3	4
18. 19.	IS925-21-1 IS925-2-1	41.67	50 50	3 4	3 4
	IS925-2-1 IS925-7-1	25			
20.	IS925-7-1 B+C(BV)	37.5	50	3	3
1	P+C(PV) PV-6-1	44.44	44.44	3	3
1.	PV-6-1 PV-14	20	44.44 20	4	4
2. 3.	PV-14 PV-26	18.18	20	4	4 4
3. 4.	PV-26 PV-1-1	12.5	12.5	4	4 4
<u>4.</u> 5.	PV-1-1 PV-7-1	38	46.15	3	3
	PV-23-1	36.36	45.45	3	3
6. 7.	PV-17-1	16	32	3	4
8.	PV-8	42.85	42.85	2	2
9.	PV-13-1	12	20	4	4
9. 10.	PV-13-1 PV-9-1	38.09	47.61	3	3
10.	PV-7	15.38	23.07	4	4
12.	PV-22	13.33	13.33	4	4
13.	PV-5	28.57	33.33	3	3
14.	PV-16-1	15.38	32.5	4	4
15.	PV-19	15.38	23.07	4	4
16.	PV-24	13.33	20	4	4
17.	PV-11-1	11.11	22.22	4	4
18.	PV-3	7.69	15.38	4	4
19.	PV-17-1-1	23.52	35.29	4	4
20.	PV-21	25	75	4	3
20.	P(IS925)	25	15		5
1.	IS925-RD-44	61.9	71.42	2	1
2.	IS925-131	30.76	46.15	3	2
3.	IS925-58	10	20	4	4
4.	IS925-RD-50	20	40	3	4
5.	IS925-113	22.22	72.2	3	3
6.	IS925-RD-48	21.42	50	4	3
7.	IS925-RV-3	21.05	36.84	4	3
8.	IS925-105	15.78	42.1	4	4
9.	IS925-RV-6	40	33.33	2	2
10.	IS925-RD-61	19.04	23.8	3	4
11.	IS925-RD-98	5.56	11.11	5	4
12.	IS925-RD-71	14.28	21.42	4	3
13.	IS925-RV-8	31.25	37.5	3	3
14.	IS925-RV-4	8.33	16.67	4	4
15.	IS925-85	9.09	27.27	4	4
16.	IS925-RD-30	23.07	30.76	3	3
17.	IS925-108	41.17	41.17	2	2
18.	IS925-117	6.25	25	4	4
19.	IS925-83	9.09	18.18	4	4
20.	IS925-64	37.5	43.75	2	2
20.	IS925-54	15.78	21.05	3	3
	IS925-80	29.16	37.5	3	3
22.	15925-80	29.10			

Raghavendra et al.,

Biological Forum – An International Journal 13(3a): 774-780(2021)

Num.         Mature 13         DB/5         DP/5         NV         Consent           28.         B0/52387         25.50         55.50         2         2           28.         B0/52570         21.42         42.83         3         4           28.         B0/55110         12.35         11.42         1         1         1           30.         B0/55200         21.42         42.83         3         4         1	<i>a</i> N			0.0.4/		
25.         1925-132         31 25         30         2         3           26.         1925-70         21.62         62.85         3         4           27.         1925-70         21.62         62.85         3         4           28.         1923-101         15.35         82.64         4         4           28.         1925-101         16.35         71.41         1         1           39.         1925-172         11.05         75.64         3         2         2           30.         1925-172         41.07         41.07         2         3         3         2         3           31.         1925-172         41.07         41.07         2         3	Sr.No.	Mutants	DH%	OP %	SV	Glossiness
Bob         1892347         55.50         24.42         42.85         3         4           22.         1892570         12.42         42.85         3         4           23.         1892540         11.53         34.49         1         1         1           33.         1892549         12.165         36.44         3         2           33.         1892547         41.07         11.17         2         3           33.         1892540         41.07         11.17         2         3           35.         1892540         41.07         11.17         2         3           36.         1892540         20.0         40         4         4           36.         1892540-4         30         3         3         3         3           41.         1892540-4         30         3         3         3         3         3           42.         1892540-1         23.8         42.8         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3						
27.         BZ25.70 $21.42$ $42.85$ $3$ $4$ $28.$ BZ25.101 $21.52$ $41.12$ $3$ $1$ $20.$ BZ25.101 $61.67$ $71.22$ $1$ $1$ $31.$ BZ25.541 $19.01$ $80.95$ $4$ $3$ $33.$ BZ25.72 $41.07$ $41.17$ $2$ $3$ $33.$ BZ25.72 $40.7$ $66.67$ $2$ $3$ $34.$ BZ25.72 $40.7$ $66.67$ $2$ $3$ $35.$ BZ25.70 $21.57$ $40.7$ $4$ $4$ $38.$ BZ25.70 $21.57$ $40.7$ $4$ $4$ $39.$ BZ25.70 $21.57$ $40.7$						
28.         B325-13         15.38         33.46         4         4           29.         B325-BD-86         25.25         11.17         3         3         3           30.         B325-BD-101         61.28         71.42         1         1         1           31.         B325-BD-101         53.8         8         3         2         2           33.         B325-FD-101         66.67         2         2         2         2           35.         B325-FD-10         23.1         40         66.67         2         2         2           36.         B325-BD-67         20.1         23.8         40         4         4         4           37.         B325-BD-67         20.1         23.8         42.8         3         3         3         4           36.         B325-BD-67         20.1         23.8         42.8         3         <						
29.         18925.809.8         21.52         41.17         3         3           30.         18925.804         10.41         3.04         3         2           31.         18925.324         10.41         80.09         4         3           33.         18925.814         10.41         66.07         2         2           33.         18925.814         10.41         66.07         2         2           34.         18925.814         12.5         13.         3         3           36.         18925.814         12.5         12.3         4         4           36.         18925.814         12.5         12.3         4         4           36.         18925.814         12.5         12.3         4         4           36.         18925.814         12.5         13.3         3         3           42.         18925.812         6.67         20         4         4           43.         18925.10         13.81         13.81         2         3           44.         18925.10         13.31         6.33         3         2         3           45.         18925.10         13.33						
32.         B825.34         190.41         80.95         4         3           33.         B825.72         41.17         41.17         2         3           34.         B925.72         40         66.67         2         2         3           35.         B975.40         23.53         3         3         3         3           36.         B975.50         23.53         23.23         4         4         4           38.         B925.131         12.5         4         4         4           38.         B925.131         12.5         42.5         3         3         3           40.         B925.101         26.31         47.66         3         3         3           41.         B925.101         26.87         28.57         3         4         3         3           45.         B925.16         23.33         53.33         3         2         3         3           46.         1892.516         23.33         53.33         3         2         2         3           47.         1892.540.10         23.33         53.33         3         2         2         2         3						
B33.         B825.72         41.17         41.17         2         3           34.         B825.70         40         66.67         2         2           35.         B825.40.47         23.52         23.52         3         3           36.         B825.40.65         23.52         23.52         3         4           37.         B825.40.65         23.52         3         4         4           38.         B825.40.65         23.52         3         3         3           40.         B925.40.46         10         30         3         3           41.         B925.40.41         23.81         42.85         3         3         3           43.         B925.40.1         23.83         24.85         3         3         3           44.         1892.40.1         23.83         28.89         3         2         3           45.         892.54.0.1         23.53         8.81         3         3         2         2           48.         1892.54.0         6.53         31.25         4         4         4         3         3         3         3         3         3         3         <						
34.         18925.7         40         66.67         2         2         2           35.         18925.80-47         23.52         23.52         3         3           36.         18925.80-45         23.52         23.52         3         4           37.         18925.90         20         40         4         4           38.         18925.14         12.5         12.5         3         3           41.         18925.10         23.8         42.85         3         3           42.         18925.40-21         23.8         42.85         3         3           43.         18925.40-1         31.81         31.81         31.81         3         3           44.         18925.40-1         23.52         64.7         20         4         4           45.         18925.40-19         23.52         64.7         3         3         4           46.         18925.40-19         23.52         64.7         3         3         3           47.         18925.40-19         23.52         64.7         3         3         3           51.         18925.40-19         23.51         64.7         3 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
38.         ISP25-RD-65         23.52         23.52         3         4           36.         ISP25-RD-65         23.52         23.52         3         4           37.         ISP25-RD-66         23.52         23.52         3         4           38.         ISP25-F141         12.5         12.5         4         4           39.         ISP25-RD-46         30.3         30.3         3         3           41.         ISP25-RD-21         22.8         42.85         3         3         3           42.         ISP25-RD-21         22.8         42.85         3         3         3           43.         ISP25-RD-21         23.8         42.85         3         3         3           44.         ISP25-RD-21         23.57         3         4         4         4           45.         ISP25-RD-16         33.31         3						
36.         BS25-80-65         23.52         23.53         3         4           37.         IS925-90         20         40         4         4           38.         IS925-114         12.5         12.5         4         4           39.         IS25-80-16         30         50         3         3           40.         IS25-80-16         30         20         3         3           41.         IS25-80-17         20         4         4           42.         IS25-80-1         31.81         2         3           43.         IS25-80-1         31.81         31.81         2         3           44.         IS925-80-10         31.81         31.83         3         2         3           45.         IS925-80-16         23.52         64.7         3         3         2         3           46.         IS925-80-16         53.33         53.33         3         2         2         5           51.         IS925-80-16         53.33         53.33         2         2         2         2         5         3         3         3         2         2         2         5         3 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
37.         18925-90         20         40         4         4           38.         18925-114         12.5         12.5         4         4           39.         18925-80-46         30         30         3         3           40.         18925-80-16         26.31         47.36         3         3           41.         18925-10         26.31         47.36         3         3           44.         18925-101         31.81         2         4         4           45.         18925-40         28.57         3         4         4           46.         18925-80-16         23.52         64.7         3         3           47.         18925-80-16         23.52         64.7         3         3         2           48.         18925-80-16         23.31         53.33         3         2         3         <						
38.         IS925.134         12.5         12.5         4         4           39.         IS925.80-16         30         30         3         3           40.         IS925.80-13         31.25         62.5         3         3           41.         IS925.100         26.31         47.36         3         3           42.         IS925.80-21         23.8         44.85         3         3           43.         IS925.80-21         23.8         44.85         3         3           44.         IS925.80-14         31.31         3.87         3         3           45.         IS925.80-14         25.33         13.33         3         2         4           46.         IS925.80-16         55.31         3.5.1         3         3         2           49.         IS925.90         6.25         31.25         4         4         3         3           51.         IS925.80-16         55.31         3.33         2         2         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>4</td></td<>						4
	38.			12.5	4	4
	39.	IS925-RD-46	30	30	3	3
42.         IS925-RD-21         23.8         42.85         3         3           43.         IS925-I01         31.81         31.81         2         3           44.         IS925-101         31.81         31.81         2         3           45.         IS925-RD-41         33.33         38.89         2         3           46.         IS925-RD-10         53.52         64.7         3         3           48.         IS925-RD-11         53.53         51.5         4         4           90.         IS925-RD-16         53.33         53.1         3         2         2           51.         IS925-RD-16         58.33         83.33         2         2         2           53.         IS925-REV-16         58.93         83.33         2         2         2           54.         IS925-REV-17         22         22.22.2         3         3         2           55.         IS925-REV-7         16         16.66         4         3         3           55.         IS925-REV-7         16         16.66         4         3         3           56.         IS925-REV-7         16         16.66	40.		31.25	62.5		3
43.         IS925-132         6.67         20         4         44           44.         IS925-161         31.81         31.81         2         3           45.         IS925-R0-12         23.53         38.80         2         3           47.         IS925-R0-19         23.52         64.7         3         3           48.         IS925-R0-16         53.33         53.33         3         2           49.         IS925-10         6.25         31.25         4         4           50.         IS925-116         35.71         35.71         3         2         2           21.         IS925-116         35.71         35.71         3         3         3         3           35.         IS925-14         37.7         84.44         3         3         3         3           35.         IS925-17         22         22.22         3 <td>41.</td> <td>IS925-130</td> <td>26.31</td> <td>47.36</td> <td>3</td> <td>3</td>	41.	IS925-130	26.31	47.36	3	3
44.       18925-101       31.81       31.81       2       3         45.       18925-48D       28.57       28.57       3       4         46.       18925-48D-10       33.33       38.89       2       3         47.       18925-48D-10       53.33       53.33       3       2         49.       18925-30       6.25       31.25       4       4         50.       18925-40       6.25       31.25       4       4         51.       18925-116       25.7       35.74       3       3       2       2         53.       18925-16       55.3       85.9       18925-17       22       22.2       3       3       3       3       3       3       5       5       18925-147       22       22.2       22       3 <t< td=""><td>42.</td><td>IS925-RD-21</td><td>23.8</td><td>42.85</td><td>3</td><td>3</td></t<>	42.	IS925-RD-21	23.8	42.85	3	3
46.         18925-46         28.57         3         4           46.         18925-RD-19         23.52         64.7         3         3           47.         18925-RD-16         53.33         53.33         3         2           49.         18925-20         62.5         31.25         4         4           50.         18925-30         62.5         31.25         4         4           51.         18925-116         35.71         35.71         3         2           52.         18925-116         35.71         35.71         3         2           53.         18925-16         38.09         3         3         3           55.         18925-16         38.09         3         3         3           56.         18925-17         26         62.2         2         2         2           60.         18925-80-37         60.36         54.54         2         2         2           61.         18925-80-37         60.36         73.91         1         1         1           62.         18925-18         50         85         3         2         2           64.         18925	43.	IS925-132	6.67	20	4	4
46.         IS925-RD-14         33.33         38.89         2         3           47.         IS925-RD-16         53.33         53.33         3         2           48.         IS925-RD-16         53.33         53.33         3         2           49.         IS925-30         18.18         35.33         3         2           50.         IS925-116         27.77         54.54         3         3           53.         IS925-RV-16         38.809         3         3         3           55.         IS925-15         37.5         68.75         2         3         3           56.         IS925-42.7         16         16.66         4         3         3           58.         IS925-42.7         16         16.66         4         3         3           59.         IS925-42.7         16.1         16.66         4         3	44.	IS925-101	31.81	31.81	2	3
47.         18925-8D-19         23.52         64.7         3         3 $48.$ 18925-20 $6.25$ $31.25$ 4         4 $50.$ 18925-30 $6.25$ $31.25$ 4         4 $50.$ 18925-116 $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.71$ $35.72$ $35.5$ $18925-16$ $38.09$ $36.75$ $2$ $35.5$ $18925-17$ $22$ $22.22$ $3$ $35.5$ $18925-127$ $22$ $22.22$ $35.7.$ $18925-127$ $22$ $22.22$ $35.7.$ $18925-127$ $36.36$ $54.54$ $2$ $22.2$ $26.6.$ $18925-127$ $36.6.$ $18925-127.7.$ $16.11$ $17.78$ $1$ $1$ $26.5.$ $22.2.2.2$ $26.6.$ $18025-127.7.$ $61.6.7.$ $4$ $4$ $46.7.$ $4$ $46.7.$ $4$ $4$ $46.7.$ $4$ <td< td=""><td>45.</td><td>IS925-46</td><td>28.57</td><td>28.57</td><td>3</td><td>4</td></td<>	45.	IS925-46	28.57	28.57	3	4
48.         IS925-RD-16         53.33         53.33         33         2           49.         IS925-20         6.25         31.25         4         4           50.         IS925-3         18.18         36.36         4         3           51.         IS925-110         27.27         54.54         3         3         3           53.         IS925-RD-16         38.09         38.09         3         3         3           55.         IS925-115         37.5         68.75         2         3         3           56.         IS925-44         40         33.33         2         2         2           60.         IS925-47         16         16.66         4         3         3           59.         IS925-402         36.6         54.54         2         2         2           60.         IS925-80-37         60.86         73.91         1         1         2           61.1         177.78         1         1         1         2         2           60.         IS925-30         40         60         3         3         3         3           66.         IS925-16         <	46.	IS925-RD-41	33.33	38.89	2	3
49.         18925-20         6.25         31.25         4         4           50.         18925-16         35.71         35.71         3         2           51.         18925-16         35.71         35.71         3         2           52.         18925-16         58.33         88.33         2         2           54.         18925-16         38.39         88.33         2         2           55.         18925-14         40         33.33         2         2           57.         18925-17         22         22.22         3         3           58.         18925-8D-37         61.11         17.78         1         1           61.         18925-8D-37         61.11         77.78         1         1         2           63.         18925-96         40         60         3         3         3           65.         18925-18         50         85         3         2         2           64.         18925-96         40         60         3         3         3           65.         18925-141         38.46         50         3         3         3 <t< td=""><td>47.</td><td>IS925-RD-19</td><td>23.52</td><td>64.7</td><td>3</td><td>3</td></t<>	47.	IS925-RD-19	23.52	64.7	3	3
50.         IN925-3         I8.18         36.36         4         3         3           51.         IS925-110         27.27         54.54         3         3         2           53.         IS925-81/16         58.31         83.33         2         2           54.         IS925-16         38.09         38.09         3         3           55.         IS925-14         40         33.33         2         2         2           56.         IS925-147         16         16.66         4         3         3           58.         IS925-102         36.36         54.54         2         2         2           60.         IS925-8D-37         60.86         73.91         1         1         2           63.         IS925-38         29.41         64.7         4         4         4         64         3         3         2         66         1S925-37         60.86         73.91         1         2         2         2         66         3         3         2         66         1S925-33         36.84         68.42         3         2         2         66         1S925-34         17.39         3.47.8	48.	IS925-RD-16	53.33	53.33	3	2
51.         IS925-116         35.71         35.71         37.71	49.		6.25	31.25	4	
52.         IS925-110         27.27         54.54         3         3           53.         IS925-16         58.09         33.02         2           54.         IS925-115         37.5         68.75         2         3           56.         IS925-44         40         33.33         2         2         2           57.         IS925-127         22         22.22         3         3         3           58.         IS925-102         36.36         54.54         2         2         2           60.         IS925-8D.37         61.11         77.78         1         1         1         2           62.         IS925-8D.37         60.86         73.91         1         2         2           63.         IS925-8D.37         60.86         64.7         4         4         4           64.         IS925-8D.37         60.86         3         3         2         6           65.         IS925-18         50         85         3         2         2           66.         IS925-18         30         3         3         3         3           70.         IS925-18         34.4	50.		18.18			
	51.			35.71	3	2
54.         IS925-16         38.09         38.09         3         3           55.         IS925-115         37.5         68.75         2         3           56.         IS925-127         22         22.22         3         3           58.         IS925-127         12         22.22         3         3           59.         IS925-107         16.         16.66         4         3           59.         IS925-107         36.36         54.54         2         2           60.         IS925-8D-25         50         62.5         2         2           61.         IS925-8D-37         60.86         73.91         1         2           63.         IS925-37         60.86         73.91         1         2           64.         IS925-30         40.         60         3         3           65.         IS925-41.8         50         85         3         2           66.         IS925-42.3         50.84         66.42         3         3           67.         IS925-13         45.45         81.81         2         2           71.         IS925-13         45.45         81.81	52.		27.27	54.54	3	3
55.         IS925-115         37.5         66.75         2         3           56.         IS925-147         22         22.22.2         3         3           57.         IS925-127         22         22.22.2         3         3           58.         IS925-RD-27         26         61.66         4         3           59.         IS925-RD-27         61.6         16.66         4         3           60.         IS925-RD-27         61.1         77.78         1         1         1           62.         IS925-37         60.86         73.91         1         2         2           63.         IS925-18         50         85         3         2         2           64.         IS925-96         40         60         3         3         3           65.         IS925-18         S0         85         3         2         2           66.         IS925-144         17.39         34.78         4         4         3           70.         IS925-123         45.45         81.81         2         2         2           71.         IS925-123         45.45         81.81         2	53.	IS925-RV-16	58.33			
56.         IS925-147         22         22.22         3         3           58.         IS925.4V.7         16         16.66         4         3           59.         IS925.4V.7         16         16.66         4         3           59.         IS925.4D.25         50         62.5         2         2           60.         IS925.4D.25         50         62.5         2         2           61.         IS925.4D.37         61.11         77.78         1         1           62.         IS925.37         60.86         73.91         1         4         4           64.         IS925.4D.76         25         7         4         4         4           64.         IS925.4D.76         25         75         4         4         3           65.         IS925.4D.76         25         75         4         4         3           66.         IS925.4D.76         25         75         4         4         3         3           70.         IS925.4D.74         13.3         34.78         4         3         3         3           71.         IS925.4D.74         13.63         13.63	54.	IS925-16	38.09	38.09	3	3
57.         IS925-127         22         22.22         3         3           58.         IS925-RV-7         16         I.666         4         3           59.         IS925-RD-23         36.36         54.54         2         2           60.         IS925-RD-23         50         62.5         2         2           61.         IS925-RD-37         61.11         77.78         1         1         2           63.         IS925-23         29.41         64.7         4         4         4           64.         IS925-37         60.86         73.91         1         2         2           66.         IS925-148         S0         85         3         2         2           66.         IS925-144         17.39         34.78         4         3         3           70.         IS925-123         45.45         81.81         2         2         2           71.         IS925-123         45.45         81.81         2         2         2         2           72.         IS925-138         30         35.3         3         3         3         3           74.         IS925-RD-34 <td>55.</td> <td>IS925-115</td> <td>37.5</td> <td>68.75</td> <td>2</td> <td>3</td>	55.	IS925-115	37.5	68.75	2	3
58.         IS925.102         36.36         16.66         4         3           59.         IS925.102         36.36         54.54         2         2           60.         IS925.8D-37         61.11         77.78         1         1           62.         IS925.47         60.86         73.91         1         2           63.         IS925.28         29.41         64.7         4         4           64.         IS925.48         29.41         64.7         4         4           65.         IS925.48         20.41         64.7         4         4           66.         IS925.48         17.39         34.78         4         4           67.         IS925.23         45.45         81.81         2         2           70.         IS925.120         13.63         13.63         4         4           71.         IS925.120         13.63         13.63         4         4           72.         IS925.138         14.28         57.14         4         4           74.         IS925.40.74         18.75         31.25         4         4           75.         IS925.40.74         18.75	56.	IS925-44	40	33.33	2	2
59.         IS925-102         36.36         54.54         2         2           60.         IS925-RD-25         50         62.5         2         2           61.         IS925-RD-25         50         62.5         2         2           61.         IS925-RD-25         50         62.5         2         2           63.         IS925-28         29.41         64.7         4         4           64.         IS925-96         40         60         3         3           65.         IS925-18         50         85         3         2           66.         IS925-14         73.9         34.78         4         4           67.         IS925-123         45.45         81.81         2         2           70.         IS925-123         45.45         81.81         2         2           71.         IS925-138         14.28         57.14         4         4           72.         IS925-80-74         18.75         31.25         4         4           73.         IS925-80-74         18.75         31.25         4         4           75.         IS925-80-74         18.75         31.25<	57.	IS925-127	22	22.22	3	3
60.         IS925-RD-25         50         62.5         2         2           61.         IS925-RD-37         60.11         77.78         1         1           62.         IS925-37         60.86         73.91         1         2           63.         IS925-28         29.41         64.7         4         4           64.         IS925-80         40         60         3         3           65.         IS925-18.7         6         40         60         3         2           66.         IS925-RD-76         25         75         4         4           67.         IS925-23         36.84         68.42         3         3           69.         IS925-144         38.46         50         3         3         3           70.         IS925-120         13.63         13.63         4         4           71.         IS925-138         14.28         57.14         4         4           74.         IS925-RD-34         25         30         3         3         3           75.         IS925-RD-34         25         30         3         3         3         3	58.	IS925-RV-7	16	16.66	4	3
61.         IS925.8D-37         61.11         77.78         1         1         1           62.         IS925.37         60.86         73.91         1         2           63.         IS925.28         29.41         64.7         4         4           64.         IS925.28         29.41         64.7         4         4           64.         IS925.41         50         85         3         2           66.         IS925.44         17.39         34.78         4         4           67.         IS925.44         17.39         34.78         4         3           68.         IS925.44         13.63         13.63         4         4           70.         IS925.123         45.45         81.81         2         2           71.         IS925.138         30         35         3         3           73.         IS925.138         14.28         57.14         4         4           75.         IS925.8D.74         18.75         31.25         4         4           77.         IS925.8D.74         18.75         31.25         4         4           76.         IS925.41         50	59.	IS925-102	36.36	54.54	2	2
62.         IS925:37         60.86         73.91         1         2           63.         IS925:28         29.41         64.7         4         4           64.         IS925:28         29.41         64.7         4         4           64.         IS925:41         50         85         3         2           66.         IS925:42         75         4         4           67.         IS925:42         17.39         34.78         4         3           68.         IS925:42         17.39         34.78         4         3           69.         IS925:144         38.46         50         3         3         3           70.         IS925:120         13.63         13.63         4         4         4           72.         IS925:438         14.28         57.14         4         4           74.         IS925:409         25         30         3         3           75.         IS925:413         50         62.5         2         2           76.         IS925:41         50         62.5         2         2           79.         IS925:41         50         62.5	60.	IS925-RD-25	50	62.5	2	2
63.         IS925.28         29.41         64.7         4         4           64.         IS925.96         40         60         3         3           65.         IS925.118         50         85         3         2           66.         IS925.118         50         85         3         2           66.         IS925.44         17.39         34.78         4         4           67.         IS925.144         38.46         50         3         3           70.         IS925.123         45.45         81.81         2         2           71.         IS925.123         45.45         81.81         2         2           71.         IS925.120         13.63         13.63         4         4           72.         IS925.138         14.28         57.14         4         4           73.         IS925.138         14.28         57.14         4         4           75.         IS925.8D.34         25         30         3         3           76.         IS925.41         50         62.5         2         2           78.         IS925.41         50         62.5         2 <td>61.</td> <td>IS925-RD-37</td> <td>61.11</td> <td>77.78</td> <td>1</td> <td>1</td>	61.	IS925-RD-37	61.11	77.78	1	1
64.         IS925-06         40         60         3         3           65.         IS925-118         50         85         3         2           66.         IS925-RD-76         25         75         4         4           67.         IS925-23         36.84         68.42         3         2           68.         IS925-42         17.39         34.78         4         3           69.         IS925-123         45.45         81.81         2         2           71.         IS925-120         13.63         13.63         4         4           72.         IS925-138         14.28         57.14         4         4           74.         IS925-180         14.28         57.14         4         4           75.         IS925-RD-34         25         30         3         3           76.         IS925-RD-74         18.75         31.25         4         4           77.         IS925-RD-74         18.75         50         2         2           78.         IS925-RD-74         18.75         31.25         4         4           77.         IS925-RV-2         54.54         36	62.	IS925-37	60.86	73.91	1	2
65.         IS925-RD-76         25         75         4         4           67.         IS925-RD-76         25         75         4         4           67.         IS925-23         36.84         68.42         3         2           68.         IS925-14         17.39         34.78         4         3           69.         IS925-123         45.45         81.81         2         2           70.         IS925-120         13.63         13.63         4         4           72.         IS925-138         14.28         57.14         4         4           73.         IS925-RD-34         25         25         3         4           75.         IS925-RD-74         18.75         31.25         4         4           77.         IS925-RD-74         18.75         31.25         4         4           78.         IS925-RV-2         54.54	63.	IS925-28	29.41	64.7	4	4
66.         IS925.RD-76         25         75         4         4           67.         IS925.23         36.84         68.42         3         2           68.         IS925.4         17.39         34.78         4         3           69.         IS925.144         38.46         50         3         3           70.         IS925.123         45.45         81.81         2         2           71.         IS925.120         13.63         13.63         4         4           72.         IS925.83         30         35         3         3           73.         IS925.138         14.28         57.14         4         4           74.         IS925.8D.34         25         30         3         3           76.         IS925.8D.74         18.75         31.25         4         4           77.         IS925.8V.2         54.54         36         2         2           78.         IS925.8V.2         54.54         36         2         2           79.         IS925.8V.2         54.54         36         2         2           79.         IS925.8V.2         54.54         36	64.	IS925-96	40	60	3	3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	65.	IS925-118	50		3	2
68.         18925-4         17.39         34.78         4         3           69.         18925-144         38.46         50         3         3           70.         18925-123         45.45         81.81         2         2           71.         18925-120         13.63         13.63         4         4           72.         18925-38         30         35         3         3           73.         18925-138         14.28         57.14         4         4           74.         18925-109         25         25         3         4           75.         18925-RD-74         18.75         31.25         4         4           76.         18925-RD-74         18.75         50         2         2           78.         18925-133         45         50         2         2           79.         18925-141         50         62.5         2         2         2           78.         18925-13         36.8         47         3         3         3           6.         PV+N         -         -         -         -         2         2         2           79.	66.	IS925-RD-76	25	75	4	4
	67.	IS925-23	36.84			
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	68.	IS925-4	17.39	34.78	4	3
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	69.	IS925-144	38.46	50	3	
72.IS925.3830353373.IS925.10925253474.IS925.10925253475.IS925.RD.3425303376.IS925.RD.7418.7531.254477.IS925.13345502278.IS925.415062.52279.IS925.82.936.8473370.IS925.82.936.8473371.PV-RD.2838.4646.153272.PV-RD.144.4444.44222.PV-RD.144.4444.44223.PV-RD.144.4444.44223.PV-RD.126.3131.57336.PV-RD.227.6923.07444.PV-RD.227.6923.07444.PV-RD.227.6923.07447.PV-RD.3118.7531.25449.PV-3316.1633.334410.PV-RD.5723.0738.463311.PV-RD.3118.7531.254411.PV-RD.3118.7531.254412.PV-RD.5723.0738.463313.PV-RD.547.6915.384414.P						
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$						
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$						
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$						
76.IS925-RD-7418.7531.2544477.IS925-13345502278.IS925-133455062.52279.IS925-RV-254.54362280.IS925-2936.84733P(PV)1.PV-RD-2838.4646.15322.PV-RD-76.2512.5444.PV-RD-76.2512.5545.PV-RD-76.2512.5545.PV-RD-726.3131.57336.PV-6-E11.7617.64447.PV-RD-227.6923.07444.9.PV-1218.1827.27349.PV-8316.1633.3344411.PV-RD-300055512.PV-RD-4914.2821.424413.PV-RD-5723.0738.4633314.PV-RD-547.6915.3844415.PV-RD-290055516.PV-RD-3126.3142.133317.PV-RD-130055518.PV-RD-130055519.PV-RD-1312.512.54<						
77.IS925-133 $45$ $50$ $2$ $2$ $2$ $78.$ IS925-8V-2 $54.54$ $36$ $2$ $2$ $79.$ IS925-8V-2 $54.54$ $36$ $2$ $2$ $80.$ IS925-29 $36.8$ $47$ $3$ $3$ $P(PV)$ $$	75.					
78.IS925-4150 $62.5$ 2279.IS925-RV-2 $54.54$ $36$ 2280.IS925-29 $36.8$ $47$ 33P(PV)1.PV-RD-28 $38.46$ $46.15$ 322.PV-RD-1 $44.44$ $44.44$ 223.PV-RD-68 $12.5$ $12.5$ 444.PV-RD-7 $6.25$ $12.5$ 545.PV-17 $26.31$ $31.57$ 336.PV-6-E $11.76$ $17.64$ 447.PV-RD-22 $7.69$ $23.07$ 448.PV-12 $18.18$ $27.27$ 349.PV-83 $16.16$ $33.33$ 4410.PV-RD-31 $18.75$ $31.25$ 4411.PV-RD-30005512.PV-RD-57 $23.07$ $38.46$ 3314.PV-RD-57 $23.07$ $38.46$ 3315.PV-RD-3 $26.31$ $42.1$ 3316.PV-RD-3 $26.31$ $42.1$ 3317.PV-RD-19 $27.27$ $27.27$ 3318.PV-RD-19 $27.27$ $27.27$ 3320.PV-RD-15 $12.5$ $12.5$ $4$ $4$ 21.PV-RD-15 $12.5$ $12.5$ $4$ $4$ 22.PV-18 $26.31$ $47.36$ $3$ <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
79.         IS925-RV-2         54.54         36         2         2           80.         IS925-29         36.8         47         3         3           P(PV)						
80.         IS925-29 $36.8$ $47$ $3$ $3$ I         PV-RD-28 $38.46$ $46.15$ $3$ $2$ 2.         PV-RD-1 $44.44$ $44.44$ $2$ $2$ 3.         PV-RD-68 $12.5$ $12.5$ $4$ $4$ 4.         PV-RD-7 $6.25$ $12.5$ $5$ $4$ 5.         PV-6E $11.76$ $17.64$ $4$ $4$ 7.         PV-RD-22 $7.69$ $23.07$ $4$ $4$ 8.         PV-12 $18.18$ $27.27$ $3$ $4$ 9.         PV-8D-31 $16.16$ $33.33$ $4$ $4$ 10.         PV-RD-49 $14.28$ $21.42$ $4$ $4$ 11.         PV-RD-57 $23.07$ $38.46$ $3$ $3$ 12.         PV-RD-49 $14.28$ $21.42$ $4$ $4$ 13.         PV-RD-57 $23.07$ $38.46$ $3$ $3$						
P(PV)P(PV)1. $PV-RD-28$ $38.46$ $46.15$ $3$ $2$ 2. $PV-RD-1$ $44.44$ $44.44$ $2$ $2$ 3. $PV-RD-68$ $12.5$ $12.5$ $4$ $4$ 4. $PV-RD-7$ $6.25$ $12.5$ $5$ $4$ 5. $PV-17$ $26.31$ $31.57$ $3$ $3$ 6. $PV-6-E$ $11.76$ $17.64$ $4$ $4$ 7. $PV-RD-22$ $7.69$ $23.07$ $4$ $4$ 8. $PV-12$ $18.18$ $27.27$ $3$ $4$ 9. $PV-33$ $16.16$ $33.33$ $4$ $4$ 10. $PV-RD-30$ $0$ $0$ $5$ $5$ 12. $PV-RD-30$ $0$ $0$ $5$ $5$ 12. $PV-RD-30$ $0$ $0$ $5$ $5$ 14. $PV-RD-57$ $23.07$ $38.46$ $3$ $3$ 14. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 15. $PV-RD-3$ $26.31$ $42.1$ $3$ $3$ 17. $PV-RD-3$ $26.31$ $42.1$ $3$ $3$ 17. $PV-RD-3$ $26.31$ $42.1$ $3$ $3$ 19. $PV-RD-13$ $0$ $0$ $5$ $5$ 19. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 20. $PV-RD-15$ $12.5$ $12.5$ $4$ $4$ 21. $PV-RD-15$ $12.5$ $12.5$ $4$ $4$ 22. $PV-18$ $26.31$ $4$						
1.PV-RD-28 $38.46$ $46.15$ $3$ $2$ 2.PV-RD-1 $44.44$ $44.44$ $2$ $2$ 3.PV-RD-68 $12.5$ $12.5$ $4$ $4$ 4.PV-RD-7 $6.25$ $12.5$ $5$ $4$ 5.PV-17 $26.31$ $31.57$ $3$ $3$ 6.PV-RD-22 $7.69$ $23.07$ $4$ $4$ 7.PV-RD-22 $7.69$ $23.07$ $4$ $4$ 8.PV-12 $18.18$ $27.27$ $3$ $4$ 9.PV-33 $16.16$ $33.33$ $4$ $4$ 10.PV-RD-31 $18.75$ $31.25$ $4$ $4$ 11.PV-RD-30 $0$ $0$ $5$ $5$ 12.PV-RD-49 $14.28$ $21.42$ $4$ $4$ 13.PV-RD-57 $23.07$ $38.46$ $3$ $3$ 14.PV-RD-54 $7.69$ $15.38$ $4$ $4$ 15.PV-RD-33 $26.31$ $42.1$ $3$ $3$ 17.PV-RD-32 $26.31$ $42.1$ $3$ $3$ 17.PV-RD-13 $0$ $0$ $5$ $5$ 18.PV-RD-19 $27.27$ $27.27$ $3$ $3$ 20.PV-RD-62 $8.33$ $16.67$ $4$ $4$ 21.PV-RD-15 $12.5$ $12.5$ $4$ $4$ 22.PV-18 $26.31$ $47.36$ $3$ $3$	80.		36.8	47	3	3
2. $PV-RD-1$ $44.44$ $44.44$ 223. $PV-RD-68$ $12.5$ $12.5$ $4$ $4$ 4. $PV-RD-7$ $6.25$ $12.5$ $5$ $4$ 5. $PV-17$ $26.31$ $31.57$ $3$ $3$ 6. $PV-6-E$ $11.76$ $17.64$ $4$ $4$ 7. $PV-RD-22$ $7.69$ $23.07$ $4$ $4$ 8. $PV-12$ $18.18$ $27.27$ $3$ $4$ 9. $PV-33$ $16.16$ $33.33$ $4$ $4$ 10. $PV-RD-31$ $18.75$ $31.25$ $4$ $4$ 11. $PV-RD-30$ $0$ $0$ $5$ $5$ 12. $PV-RD-49$ $14.28$ $21.42$ $4$ $4$ 13. $PV-RD-57$ $23.07$ $38.46$ $3$ $3$ 14. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 15. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 15. $PV-RD-3$ $26.31$ $42.1$ $3$ $3$ 17. $PV-RD-13$ $0$ $0$ $5$ $5$ 18. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 20. $PV-RD-15$ $12.5$ $12.5$ $4$ $4$ 21. $PV-RD-15$ $12.5$ $12.5$ $4$ $4$ 22. $PV-RD$ $8.33$ $16.67$ $4$ $4$	1		20.47	42.15	2	
3.PV-RD-6812.512.5444.PV-RD-76.2512.5545.PV-1726.3131.57336.PV-6-E11.7617.64447.PV-RD-227.6923.07448.PV-1218.1827.27349.PV-8D-3118.7531.254410.PV-RD-30005512.PV-RD-4914.2821.424413.PV-RD-547.6915.384415.PV-RD-547.6915.384416.PV-RD-3326.3142.13317.PV-RD-326.3142.13318.PV-RD-1927.2727.273320.PV-RD-1512.512.54421.PV-RD-1512.512.54422.PV-RD-1512.512.544						
4. $PV-RD-7$ $6.25$ $12.5$ $5$ $4$ 5. $PV-17$ $26.31$ $31.57$ $3$ $3$ 6. $PV-6-E$ $11.76$ $17.64$ $4$ $4$ 7. $PV-RD-22$ $7.69$ $23.07$ $4$ $4$ 8. $PV-12$ $18.18$ $27.27$ $3$ $4$ 9. $PV-33$ $16.16$ $33.33$ $4$ $4$ 10. $PV-RD-31$ $18.75$ $31.25$ $4$ $4$ 11. $PV-RD-30$ $0$ $0$ $5$ $5$ 12. $PV-RD-49$ $14.28$ $21.42$ $4$ $4$ 13. $PV-RD-57$ $23.07$ $38.46$ $3$ $3$ 14. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 15. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 16. $PV-RD-53$ $26.31$ $42.1$ $3$ $3$ $17.$ $PV-RD-13$ $0$ $0$ $5$ $5$ $18.$ $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ $20.$ $PV-RD-162$ $8.33$ $16.67$ $4$ $4$ $21.$ $PV-RD-62$ $8.33$ $16.67$ $4$ $4$ $22.$ $PV-18$ $26.31$ $47.36$ $3$ $3$						
5. $PV-17$ $26.31$ $31.57$ $3$ $3$ 6. $PV-6E$ $11.76$ $17.64$ $4$ $4$ 7. $PV-RD-22$ $7.69$ $23.07$ $4$ $4$ 8. $PV-12$ $18.18$ $27.27$ $3$ $4$ 9. $PV-33$ $16.16$ $33.33$ $4$ $4$ 10. $PV-RD-31$ $18.75$ $31.25$ $4$ $4$ 11. $PV-RD-30$ $0$ $0$ $5$ $5$ 12. $PV-RD-49$ $14.28$ $21.42$ $4$ $4$ 13. $PV-RD-57$ $23.07$ $38.46$ $3$ $3$ 14. $PV-RD-57$ $23.07$ $38.46$ $3$ $3$ 15. $PV-RD-54$ $7.69$ $15.38$ $4$ $4$ 15. $PV-RD-33$ $26.31$ $42.1$ $3$ $3$ 17. $PV-RD-29$ $0$ $0$ $5$ $5$ 18. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 20. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 21. $PV-RD-62$ $8.33$ $16.67$ $4$ $4$ 22. $PV-18$ $26.31$ $47.36$ $3$ $3$						
6.PV-6-E11.7617.64447.PV-RD-227.6923.07448.PV-1218.1827.27349.PV-3316.1633.334410.PV-RD-3118.7531.254411.PV-RD-30005512.PV-RD-4914.2821.424413.PV-RD-5723.0738.463314.PV-RD-547.6915.384415.PV-RD-256.2512.53516.PV-RD-326.3142.13317.PV-RD-13005518.PV-RD-13005519.PV-RD-1927.2727.273320.PV-RD-1512.512.54421.PV-RD-1512.512.54422.PV-1826.3147.3633						
7. $PV-RD-22$ 7.69 $23.07$ 448. $PV-12$ $18.18$ $27.27$ 349. $PV-33$ $16.16$ $33.33$ 4410. $PV-RD-31$ $18.75$ $31.25$ 4411. $PV-RD-30$ 005512. $PV-RD-49$ $14.28$ $21.42$ 4413. $PV-RD-57$ $23.07$ $38.46$ 3314. $PV-RD-54$ $7.69$ $15.38$ 4415. $PV-RD-54$ $7.69$ $15.38$ 4416. $PV-RD-25$ $6.25$ $12.5$ 3516. $PV-RD-13$ $26.31$ $42.1$ 3317. $PV-RD-13$ $0$ $0$ $5$ $5$ 18. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 20. $PV-RD-19$ $27.27$ $27.27$ $3$ $3$ 21. $PV-RD-15$ $12.5$ $12.5$ $4$ $4$ 22. $PV-18$ $26.31$ $47.36$ $3$ $3$						
8. $PV-12$ $18.18$ $27.27$ 349. $PV-33$ $16.16$ $33.33$ 4410. $PV-RD-31$ $18.75$ $31.25$ 4411. $PV-RD-30$ 005512. $PV-RD-49$ $14.28$ $21.42$ 4413. $PV-RD-57$ $23.07$ $38.46$ 3314. $PV-RD-54$ $7.69$ $15.38$ 4415. $PV-RD-25$ $6.25$ $12.5$ 3516. $PV-RD-3$ $26.31$ $42.1$ 3317. $PV-RD-13$ 005518. $PV-RD-19$ $27.27$ $27.27$ 3320. $PV-RD-62$ $8.33$ $16.67$ 4421. $PV-RD-15$ $12.5$ $12.5$ 4422. $PV-18$ $26.31$ $47.36$ 33						
9. $PV-33$ 16.16 $33.33$ 4410. $PV-RD-31$ $18.75$ $31.25$ 4411. $PV-RD-30$ 005512. $PV-RD-49$ $14.28$ $21.42$ 4413. $PV-RD-57$ $23.07$ $38.46$ 3314. $PV-RD-54$ $7.69$ $15.38$ 4415. $PV-RD-25$ $6.25$ $12.5$ 3516. $PV-RD-3$ $26.31$ $42.1$ 3317. $PV-RD-3$ $0$ 05518. $PV-RD-19$ $27.27$ $27.27$ 3320. $PV-RD-62$ $8.33$ $16.67$ 4421. $PV-RD-15$ $12.5$ $12.5$ 4422. $PV-18$ $26.31$ $47.36$ 33						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$						
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$						
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$						
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$						
16.         PV-RD-3         26.31         42.1         3         3           17.         PV-RD-29         0         0         5         5           18.         PV-RD-13         0         0         5         5           19.         PV-RD-19         27.27         27.27         3         3           20.         PV-RD-62         8.33         16.67         4         4           21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
17.         PV-RD-29         0         0         5         5           18.         PV-RD-13         0         0         5         5           19.         PV-RD-19         27.27         27.27         3         3           20.         PV-RD-62         8.33         16.67         4         4           21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
18.         PV-RD-13         0         0         5         5           19.         PV-RD-19         27.27         27.27         3         3           20.         PV-RD-62         8.33         16.67         4         4           21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
19.         PV-RD-19         27.27         27.27         3         3           20.         PV-RD-62         8.33         16.67         4         4           21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
20.         PV-RD-62         8.33         16.67         4         4           21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
21.         PV-RD-15         12.5         12.5         4         4           22.         PV-18         26.31         47.36         3         3						
22. PV-18 26.31 47.36 3 3						
24. PV-58 38 46 2 2						
Raghavendra et al., Biological Forum – An International Journal 13(3a): 774-780(2021)						

Sr.No.	Mutants	DH%	OP %	SV	Glossiness
25.	PV-RD-44	12.5	25	4	4
26.	PV-1	7.14	21.42	4	4
27.	PV-RD-41	0	20	5	5
28.	PV-52	13.33	20	3	3
29.	PV-RD-20	7.69	15.38	4	4
30.	PV-RD-33	0	6.67	5	5
31.	PV-6	20	50	3	4
32.	PV-RD-36	29.41	35.29	3	4
33.	PV-57	20	26.67	4	4
34.	PV-47	38.89	77.78	2	3
35. 36.	PV-9 PV-60	0	0	4 4	5 3
36.	PV-60 PV-10	15.38 15	15.38 40	4 4	4
38.	PV-61	30.43	43.47	3	3
39.	PV-RD-35	20	55	4	4
40.	PV-2	16.67	25	4	4
41.	PV-48	22.22	33.33	4	4
42.	PV-35	57.14	71.42	2	2
43.	PV-20	25	25	4	4
44.	PV-41	13	20	4	4
45.	PV-RD-21	15	15	4	4
46.	PV-RD-51	5	20	5	5
47.	PV-RD-27	16.67	25	4	4
48.	PV-53	30	60	3	3
49.	PV-16	33.33	33.33	2	2
50.	PV-23	6.25	18.75	4	5
51.	PV-RD-47	0	12.5	5	5
52.	PV-RD-6	6.25	18.75	4	4
53.	PV-RD-32	42.85	42.85	2	3
54.	PV-RD-50	11.76	35.29	4	4
55.	PV-RD-34	35.71	35.71	3	3
56.	PV-RD-87	33.33	41.67	3	3
57.	PV-RD-14	17.64	17.64	4	3
58.	PV-RD-4	28.57	28.57	4	4
59.	PV-RD-45	16.67	44.44	3	4
60.	PV-RD-20	26.67	33.33	3	4
61.	PV-RD-5	27.78	33.33	3	3
62.	PV-RD-11	33.33	40	2	3
63.	PV-RD-53	9.09	9.09	4	4
64.	PV-RD-48	30.43	39.13	3	3
65.	PV-50	21.42	42.85	4	4
66.	PV-RD-18 PV-13	14.28	14.28	4 4	4 4
67.	PV-15 PV-RD-43	5.88	23.52 20	4	3
68. 69.	PV-RD-45 PV-RD-10	15 16.67	16.67	3	4
70.	PV-37	10.07	20	4	4
70.	PV-37 PV-RD-52	44.44	55.55	3	2
72.	PV-22	33.33	33.33	3	3
73.	PV-RD-38	43.47	56.52	2	2
74.	PV-11	30	55	4	3
75.	PV-45	47.36	63.15	2	2
76.	PV-38	19.04	38	4	3
77.	PV-RD-9	44	52	2	2
78.	PV-44	33.33	66.67	3	2
79.	PV-49	31.57	52.94	3	2
80.	PV-RD-46	15.78	31.57	4	3
	CHECKS				
1.	DJ-6514 (S)	71.42	85.71	1	1
2.	IS-2312 (R)	15.78	31.57	5	4
3.	GS-23	25	37.5	4	4
4.	M-35-1	28.57	52.38	4	4
5.	SPV-86 (S)	25	33.33	4	3
6.	E-36-1 (R)	33.33	52.38	3	2
7.	DSV-4 (R)	42.85	57.14	3	2
	CD@5%				
	Ci-Cj	0.688	1.2518	0.766	0.8105
	BiVi-BiVj	1.3761	2.5036	1.532	1.6209
	BiVi-BjVj	1.4711	2.6764	1.637	1.7328
	Ci-Vl	1.163	2.1159	1.294	1.3699

P+C = Physical + chemical treated
P = Physical treated
PV = Phule Vasudha
DH% = Dead heart per cent
SV = Seedling vigour
OP% = Oviposition per cent
Ci-Cj = For two check means
BiVi-BiVj = For two test genotype means in same block
BiVi-BjVj = For any two entries means in the same block
Ci-Vl = For means between a check and a test genotype





shoot fly.

Plate 1. Fish meal application to attract shoot fly. CONCLUSION

The present experiment was conducted to identify mutant lines, which were resistant to shoot fly attack. Study revealed that among 200 mutant lines seven lines *viz.*, PV-RD-29, PV-RD-30, PV-RD-13, PV-RD-41, PV-RD-33, PV-9 and PV-RD-47 showed resistant to shoot fly component characters *viz.*, oviposition, dead heart, glossiness and seedling vigour compared to resistant check IS-2312 (Resistance) under interland fish-meal technique conditions. These six mutant lines were promising lines to reduce shoot fly infestation, so these lines can be used for further confirmation and future tolerance breeding programs.

#### Conflict of Interest. None.

#### REFERENCES

- Balikai, R. A., & Bhagwat, V. R. (2009). Evaluation of Integrated Pest Management Components for the Management of Shoot fly, Shoot bug and Aphid in *Rabi* Sorghum. *Karnataka Journal of Agricultural Science*, 22(3): 532-534.
- Camargo, C. O., Neto, A. T., Filho, A. F., & Felico, J. C. (2000). Genetic Control of Aluminium Tolerance in Mutant Lines of the Wheat Cultivar Anahuac. *Euphytica*, 114: 47-53.
- Chandra, B., Hemant, S., Lekha, Azad, M., Lakhawat. S. S., & Mahla. M. K., (2018). Screening of Different Sorghum Varieties for Resistance against Sorghum Shoot fly. *Indian Journal of Applied Entomology*, 32(1): 42-47.
- INDISTSAT (2019) India Sorghum Production and Utilization. New Delhi. Available on http:// www.indiastat.com/agriculture/2/foodgrains/17180/jo wargreatmillet.
- Kahate, N. S., Raut, S. M., Ulemale, P. H., & Bhogave, A. F. (2014). Management of Sorghum Shoot fly. *Popular Kheti*, 2: 72-74.



Plate 3. Shoot fly infected plant with maggot in dead heart.

- Kamatar, M. Y., Patil, A. M., Yadwab, A., Salimath, P. M., & Rao, T. S. (2010). Correlation and Path Analysis in Parents and Hybrids for Resistance to Sorghum Shoot fly [*Atherigona soccata* (Rondani)]. *International Journal of Plant Science*, 5(2): 399-403.
- Kiran, S. B. (2014). Stability Analysis and Screening for Shoot fly Tolerance in Advanced Breeding Lines of Sorghum. M.Sc. (Agri) Thesis, University of Agricultural Sciences, Raichur, (India).
- Nagara, G. (2017). Genetic Diversity Analysis of Sorghum [Sorghum bicolor (L.) Moench] Races in Ethiopia using SSR markers.
- Navinkumar, M., Girish, G., Ashok, M. B., Muniswamy, S., Yogeesh, L. N., & Prashanth, S. M., (2020). Screening of Sorghum (Sorghum bicolor (L.) Moench) Mutant Lines for Shoot fly Resistance (Atherigona soccata Rondani). International Journal of Current Microbiology Applied Science, 9(12): 1877-1885.
- Nimbalkar, V. S., & Bapat, D. R. (1987). Genetic Analysis of Shoot fly Resistance under High Level of Shoot fly Infestation in Sorghum. *Journal of Maharahstra Agriculture University*, 12: 331-334.
- Nwanze, K. F. (1997). Integrated Management of Stem borers of Sorghum and Pearl millet. *International Journal of Tropical Insect Science*, 17(1): 1-8.
- Prasad, G. S., Babu, K. S., Subbarayudu, B., Bhagwat, V. R., & Patil, J. V. (2015). Identification of Sweet Sorghum Accessions Possessing Multiple Resistance to Shoot fly (*Atherigona soccata* Rondani) and Stem borer (*Chilo partellus* swinhoe). Sugar Tech., 17: 173-180.
- Sharma, H. C., & Nwanze, K. F. (1997). Mechanisms of Resistance to Insects in Sorghum and their Usefulness in Crop Improvement. *Information Bulletin No.45*, *ICRISAT.*, 1-13.
- Sonalkar, V. U., & Pagire, K. S. (2017). Reaction of Grain Sorghum Varieties to Major Pests in Vidarbha Region. International Journal of Current Microbiology Applied Science, 6(2): 891-898.
- Thapa, C. B. (2004). Effect of acute Exposure of Gamma rays on Seed Germination and Seedling Growth of *Pinus* kesiagord and *P. wallichiana. Our Nature*, 2: 13-17.

**How to cite this article:** Raghavendra, V.C., Girish, G., Ashok, M.B., Temburne, B.V., Yogeesh, L.N., Govindappa, M.R. and Kumar, A.V. (2021). Screening of M<sub>4</sub> Sorghum (*Sorghum bicolor* (L.) Moench) Mutant Lines Against Shoot Fly (*Atherigona soccata* Rondani). *Biological Forum – An International Journal*, *13*(3a): 774-780.