



Enhancement Approach for Enhancing Image of Changing the Contrast

Goutam Uke and Prof Amit Rajput

*Department of Electronics Engineering,
Radharaman Institute Technology & Science, Bhopal, (MP), India*

(Received 15 October, 2012 Accepted 10 January, 2013)

ABSTRACT: This article introduces a new image Enhancement approach suitable for digital cameras. High contrast images are common in the scenes with dark shadows and bright light sources. It is difficult to show the details in both dark and light areas simultaneous on most display devices. For solving this problem, there are many methods of image enhancement proposed to improve the quality of the images. However, most of them often get poor results if the images are high contrast and have wide dynamic range. This method for enhancing the high-contrast digital camera images, which enhances the global brightness and contrast of images while preserving details. It is based on a two-scale decomposition of the image into a base layer, encoding large-scale variations, and a detail layer. The base layer is obtained using an edge preserving filter that is a weighted average of the local neighborhood samples, where the weights are computed based on temporal and radiometric distances between the center sample and the neighboring samples. Only the base layer image is enhanced automatically by using histogram equalization method, thereby preserving detail. The experimental results show the proposed method provides a significant enhancement for the high-contrast images and requires no parameter setting. And also in this work processing cost reduction when the new approach is followed.

Keywords: High-contrast image, automatic enhancement, camera images, histogram equalization and weighted filter.

I. INTRODUCTION

Contrast of an image is determined by its dynamic range, which is defined as the ratio between the brightest and the darkest pixel intensities. Contrast enhancement techniques have various application areas for enhancing visual quality of low contrast images. Histogram equalization (HE) is a very popular technique for enhancing the contrast of an image [1]. Its basic idea lies on mapping the gray levels based on the probability distribution of the input gray levels. It flattens and stretches the dynamic range of the image's histogram, resulting in overall contrast improvement. HE has been applied in various fields such as medical image processing and radar image processing [2]. In theory, it can be shown that the mean brightness of the histogram-equalized image is always the middle gray level regardless of the input mean. When brightness preservation is important and necessary, this property is not a desirable one in certain applications. The technologies of digital cameras have a great progress recently. We can get the digital photos easily and directly since the digital cameras save the trouble of film

processing. However, when we photograph a scene by the digital cameras and obtain a two-dimensional array of "brightness" value, these values are rarely the true measurements of the relative radiance in the scene [3]. In general, the range of light luminance the human eye can sense is much larger than the dynamic range of most digital cameras and display devices. And the human visual system also has the brightness adaptation ability, it accomplishes the large variation by changes in the overall sensitivity [4-5]. However, the range of light brightness we can produce by the cameras or image sensors spans at a very limited dynamic range. It means that we will lose the detail information in either light or dark areas when we take a photo in the scenes with dark shadows and bright light sources, *i.e.*, it has high dynamic range. Obviously, some enhancement methods are necessary for improving the photos effectively [6-7]. The traditional photographers usually need to enhance their photos in the darkroom; however, the processing is not only time-consuming but also expensive. In recent years, the digital cameras are very popular; we can get the digital photos directly.

Now we can adjust our photos easily by using the commercial image-editing software, for example Adobe Photoshop, Ulead Photoimpact, etc., in the computer. Unfortunately, most of these works require professional knowledge for many parameter settings. Obviously, it is not friendly and suitable for most end users of digital cameras. Some software provides the automatic enhancement function for simplifying the process, but in practice they don't work well in many cases, especially for the photos with high contrast or high dynamic range. In many signal and image processing applications, it is necessary to smooth the noisy signals while at the same time preserving the edge information. The most commonly used smoothing techniques are linear filtering, averaging filtering and median filtering. The linear filters smooth the noisy signals and also the sharp edges. The median of a group, containing an odd number of elements, is defined as the middle element, when the elements of the group are sorted. The median computed at this operation is called the running or the moving median. Since the size of the window is constant, the number of incoming elements is equal to the number of outgoing elements. The structure of the paper is arranged as follows: section 1 included the introduction and section 2 included the methodology of the proposed scheme.

II. METHODOLOGY

A. Image Enhancement

Image enhancement operation improves the qualities of an image. They can be used to improve

an image's contrast and brightness characteristics, reduce its noise content or sharpen its details. In view of the wide usage of loosely defined terms covering the general topic of image-enhancement, it is appropriate to give a precise definition of what this term denotes within the present context. Other terms such as image-processing are often used as synonyms, along with those such as image-restoration and image-manipulation, and catch-all phrases such as photo-editing are now widely used in the an ever-growing modern circle of consumer digital-imaging. But all these and other common terms are frequently used interchangeably, and mean quite different things in different contexts. For the present purposes we define image-enhancement, in the sense used here, with the help of Fig. 1. Due to common usage, it is first necessary to separate out those common and already well-served and widespread image-manipulations that may be thought of as falling under the general heading of digital, "good-housekeeping". These include the ability to change the si and format of the image, to crop and rotate the image to choice, to compress the image for digital transmission, etc. Perhaps curiously at first sight, we include here for convenience what is actually an advanced topic of image-segmentation, namely that of red-eye reduction and removal, since due to shrinking digital camera sizes and optics this problem has revisited the world of photography in its new digital guise, and in some imaging software packages this is actually the dominant remedial component [8].




Fig. 1. Classification of Image-Enhancement Activities and Manipulations.

Under the heading of basic enhancement in Fig.1, we include all those image attributes that may be thought of as the digital surrogates in the translation from classical analog tone- and color- reproduction theory. These represent all aspects of the image

relationship to the original scene in terms of its perceived brightness across all regions of the image, likewise the color reproduction, and the tone or contrast associated with each brightness region of the image.

This area of image enhancement that we label here as “basic” now has the special further assumed property whereby all image manipulations within this domain are obtained within the rule of determinate pixel mapping. In other words, only enhancements are assumed permissible which operate in a predetermined manner on each pixel, independent of the state of any adjoining pixel, or groups of pixels. The classification of these latter techniques as “Basic Enhancement”.

Image enhancement plays a fundamental role in many image processing applications where human beings (the experts) make decisions depended on the image information. But some problems arise in the interface between the observer and the machine. In the image processing, we usually use some objective quality criteria to ascertain the goodness of the results. Histogram Equalization

For a given image X , the probability density function $p(X_m)$ is defined as

$$p(X_m) = \frac{n_m}{n}$$

For $m = 0, 1, \dots, L - 1$, where n_m represents the number of times that the level X_m appears in the input image X and n is the total number of samples in the input image. Note that $p(X_m)$ is associated with the histogram of the input image which represents the number of pixels that have a specific intensity X_m . In fact, a plot of n_m vs. X_m is known histogram of X . Based on the probability density function; the cumulative density function is defined as

$$c(x) = \sum_{j=0}^m p(X_j)$$

Where $X_m = x$, for $m = 0, 1, \dots, L - 1$. Note that $c(X_{L-1}) = 1$ by definition. He is a scheme that maps the input image into the entire dynamic range, (X_0, X_{L-1}) , by using the cumulative density function as a transform function. Lets define a transform function $f(x)$ based on the cumulative density function as

$$f(x) = X_0 + (X_{L-1} - X_0)c(x)$$

Then the output image of the HE, $Y = \{Y(i, j)\}$, can be expressed as

$$\begin{aligned} Y &= f(X) \\ &= \{f(X(i, j)) \mid \forall X(i, j) \in X\} \end{aligned}$$

The high performance of the HE in enhancing the contrast of an image as a consequence of the dynamic range expansion, besides, HE also flattens a histogram. Based on information theory, entropy of message source will get the maximum value when the message has uniform distribution property.

A. Wavelet Transform

The generic form for a one-dimensional (1-D) wavelet transform is shown in Figure 2. Here a signal is passed through a low pass and high pass filter, h and g , respectively, then down sampled by a factor of two, constituting one level of transform. Multiple levels or “scales” of the wavelet transform are made by repeating the filtering and decimation process on the low pass branch outputs only. The process is typically carried out for a finite number of levels K and the resulting coefficients, $d_{i1}(n)$, $i \in \{1, \dots, K\}$ and $d_{K0}(n)$, are called wavelet coefficients. Referring to Figure 2, half of the output is obtained by filtering the input with filter $H(z)$ and down-sampling by a factor of two, while the other half of the output is obtained by filtering the input with filter $G(z)$ and down-sampling by a factor of two again. $H(z)$ is a low pass filter, while filter $G(z)$ is a high pass filter. The 1-D wavelet transform can be extended to a two-dimensional (2-D) wavelet transform using separable wavelet filters. With separable filters the 2-D transform can be computed by applying a 1-D transform to all the rows of the input and then repeating on all of the columns. Using the Lena image in Figure 3a shows an example of a one-level ($K = 1$), 2-D wavelet transform. The example is repeated for a two-level ($K = 2$) wavelet expansion in Fig. 3b.




Fig. 2. A K-level, 1-D Wavelet Decomposition.




Fig. 3. (a) One level wavelet transform in both directions of a 2D signal; (b) Two levels of wavelet transform in both directions.

From Fig. 3a sub band LL is more important than the other 3 sub bands, as it represents a coarse version of the original image. The multiresolutional features of the wavelet transform have contributed to its popularity.

III. PROPOSED ALGORITHM

The contributions of the paper for enhancing the high-contrast digital photos automatically, which enhances the overall brightness and contrast of images while preserving detail. It is based on a separate the colors of the image by decomposing the image into the color image and the intensity image, two-scale decomposition of the image into a base layer, encoding coarse or large-scale image, and a detail layer. The base layer is obtained using an edge preserving filter. This filter is merely a weighted average of the local neighborhood samples, where the weights are computed based on temporal and radiometric distances between the center sample and the neighboring samples. The histogram equalization method is used to improve the brightness and contrast of the base layer

image. The wavelet transformation is used to enhance the color information. Finally, we restore the details back. The overall flowchart of the proposed method is shown in Fig. 4.

A. Weighted Filter

Weight filtering is a non-linear filter. It is proposed for smoothing the noise and preserving edges in the image processing. It starts with standard Gaussian filtering in both spatial and intensity domains. The output of the weighted filtering is defined as follows:

$$\hat{X}(k) = \frac{\sum_{n=-w}^w W(k,n)X(k-n)}{\sum_{n=-w}^w W(k,n)}$$

Where $X(k)$ is the original signal, $\hat{X}(k)$ is the smoothed signal by the weight filtering w is width of the filter, and $W(k,n)$ is the kernel function of the filter, it can be expressed by




Fig. 4. The Proposed Algorithm.

$$W(k, n) = W_S(k, n) \cdot W_R(k, n)$$

Where W_S and W_R are the Gaussian smoothing kernel function in the space domain and intensity domain respectively. Obviously, it suppresses the image noise and preserves the edges where there are large variations in the intensity domain.

The first step of our method is decomposing the image into the color image and the intensity image. We calculate the intensity of the original image and separate the color information by:

$$I = 0.299 \cdot R + 0.587 \cdot G + 0.114 \cdot B$$

$$\hat{R} = R \div I$$

$$\hat{G} = G \div I$$

$$\hat{B} = B \div I$$

Where R, G, B are the intensity value of R, G, and B channels, I is the intensity image, and $\hat{R}, \hat{G}, \hat{B}$ are the separated color image. In the second step, we obtain the two-scale decomposition of the image into a base layer, encoding coarse or

large-scale, and a detail layer by using the weighted filter and wavelet transform.

The coarse image and the detail images are shown in Figure 5. Since the human visual system is interested in the detail image, only the base layer image is enhanced by using histogram equalization to improve the global brightness and contrast, thereby the details are preserved.

B. Histogram Equalization

For adjusting the image contrast and brightness, we propose to use histogram equalization to obtain the optimal coarse image. It has the general tendency of spreading the histogram of the input image so that the levels of the histogram-equalized image span a fuller range of the gray scale. The histogram distribution of the image before and after the histogram equalization is shown in Fig. 6 and also shows the result of the base layer image enhanced by the histogram equalization. One of the useful advantages of histogram equalization is that it is fully automatic. It is obvious that the dark area is lightened.




Fig. 5. Source Image, Coarse Image and Detail Image Respectively.




Fig. 6. The Base Layer Image Before and After Histogram Equalization.

Then the color information is enhanced by using the wavelet transform and Haar transform as shown in figure 7.




Fig. 7. The Result After Applying Wavelet, Synthesized Image, De-noise Image and Decomposition at level 2.

Finally, we combines the detail image and color information back, it achieves the goal of adjusting overall brightness and contrast of image automatically and preserves the details. Figure 8 show the final result of proposed algorithm.



Fig. 8. The Final Result.

IV. RESULT AND DISCUSSION

Fig. 8 shows the final result enhanced automatically by the proposed algorithm. It is clear that the proposed method gets an excellent result, it not only lightens the darker area on the red areas, the trees are visible clearly, but also preserves the details of the light area, the sky and clouds are retained. Compared with the result by using the automatic enhancement function in Adobe

Photoshop, we found that the proposed method performs better than the auto-level function in the commercial image-editing software. Fig. 9 shows another example of high-contrast photo and the result enhanced automatically by the proposed method. Obviously, the details in the dark area are brightened while the details in highlight area are preserved and not washed out. They demonstrate the powerfulness and effectiveness of the proposed method.



Fig. 9. (a) Original Image. (b) Image Enhanced by the Proposed Method.

V. CONCLUSION

In practice, the automatic enhancement function in the commercial image editing software such as Adobe Photoshop or Ulead Photo impact obtain poor results for the photos with high contrast or high dynamic range. In this paper, we present an image enhancement algorithm based on the weighted filter, histogram equalization and wavelet transformation

to solve this problem. The experimental results show that the proposed approach can enhance the high-contrast images effectively; it not only improves the global brightness and contrast of images but also preserves details and remove noise. The other advantage of the proposed method is that it is fully automatic and requires no parameter settings. Therefore, it is useful and suitable for most digital camera users.

REFERENCES

- [1]. Scott E Umbaugh. 1998, Computer vision and image processing. Prentice Hall, New Jersey. p. 209.
- [2]. Y.T. Kim. 1997. Contrast Enhancement Using Brightness Preserving Bi-Histogram Equalization. *IEEE Trans. on Consumer Electronics*. **43**(1): 1-8. For video technology. **5**(1): February.
- [3]. P.E. Debevec, and J. Malik, 1997, "Recovering high dynamic range images," in proceeding of the SPIE: *Image Sensors*, Vol. **3965**, , pp. 392-401.
- [4]. J. Tumblin, J. Hodgins, and B. Guenter, 1999, "Two Methods for Display of High Contrast Images," *ACM Transactions on Graphics*, Vol. **18**, No. 1, pp. 56-94.
- [5]. G.L. Ward, 1994, "A contrast-based scalefactor for luminsnce displsy," in Paul Heckbert, editor, *Grsphtics Gems IV*, Academic Press, Boston, pp. 415-421.
- [6]. G.L. Ward, 1998, "The LogLuv Encoding for Full Gamut, High Dynamic Range Images," *Journal of Graphics Tools*, Vol. **3**, No. 1, pp. 15-31.
- [7]. E. Reihard, M. Stark, P. Shirley, and J. Ferwerda, 2002, "Photographic tone reproduction for digital images," in Proceedings of SIGGRAPH02, pp.267-276.
- [8]. R. Shaw and P. Johnson, 2006, " Ubiquitous Image Processing: A Novel Image-Enhancement Facility for Consumers ", *IS&T /SPIE 18th Annual Symposium on Electronic Imaging, San Jose CA*, 15-19.